

Rest assured

A SECURITY CHIMNEY FIREPLACE IS SECOND TO NONE




BIS
Tradition
Tradition®

HIGH-EFFICIENCY EPA APPROVED
WOOD-BURNING FIREPLACES



SECURITY CHIMNEYS
INTERNATIONAL



Rest assured

YOU INSTALLED A SECURITY FIREPLACE



*The simple elegance of a
traditional wood-burning fireplace.
The serene comfort of a crackling fire.
Warmth that soothes your senses
and radiates throughout your home.
That's the beauty of Tradition.*

Security Chimneys International has kept the home fires burning for over 20 years by developing innovative hearth products that lead the market in style, performance and reliability. This tradition of innovation means that homeowners across North America can benefit from a complete line of high quality venting products and EPA approved zero clearance wood-burning fireplaces.

With a reputation for total quality that goes back generations, Security Chimneys International is well on the way to becoming the premier, most trusted supplier of quality chimneys and selected fireplaces in North America.

(EPA stands for the Environmental Protection Agency)



**SECURITY CHIMNEYS
INTERNATIONAL**





BIS

TRADITION AND TRADITION CE



Tradition

This impressive model is one of the biggest, most beautiful EPA approved zero clearance wood-burning fireplaces on the market today. Leading-edge features such as non-catalytic combustion make the BIS Tradition virtually maintenance-free while its Time-Delayed Air Boost system provides the added appeal of care-free ignition. The advanced engineering of the BIS Tradition, combined with its large, unobstructed view and up to 8 hours of burn time, means homeowners will spend more time enjoying the fire than taking care of it. Plus, its heat-activated blower is cleverly hidden in its graceful design, providing energy efficient heat distribution without sacrificing the natural aesthetics of a traditional masonry hearth.

Tradition

The BIS Tradition CE is the latest addition to the BIS family of EPA approved zero clearance wood-burning fireplaces. This Compact Edition has all the key performance features of the BIS Tradition, such as ceramic glass for added safety and optimum heat transfer and an airtight combustion chamber for maximum efficiency, but its compact size makes it ideal for smaller spaces. What's more, its single door design gives homeowners the ultimate view of the fire. An array of optional facades and doors are also available, which means you can customize the BIS Tradition CE to suit the decor of any home.




Mix & Match Design Options
With 4 optional facades and doors
you can make your fireplace design uniquely your own.



TRADITION


TRADITION CE



BLACK



BLACK



BRUSHED NICKEL



BRUSHED NICKEL




24K GOLD PLATED



24K GOLD PLATED

HAMMERED STEEL AVAILABLE FOR TRADITION & TRADITION CE (DOORS AND TRIM ONLY)



The design of the BIS TRADITION is an inspirational balance of form and function.

1. Refractories capture the authentic look of a real masonry fireplace
2. Arch design facade and door give the fireplace a traditional look
3. Decorative log retainer

STANDARD FEATURES

- Impressive size: 47" W x 45" H x 28" D
- Non-catalytic combustion for maintenance-free operation
- Zero-clearance wood-burning fireplace
- 4.0 cu. ft. firebox with 30" log capacity
- Time-Delayed Air Boost system for care-free ignition
- Multiple heat distribution capability
- Textured refractory-lined firebox recreates a traditional masonry fireplace
- Outside air kit (4" I.D. x 10' long insulated flex and resister)
- Choice of 4 optional facades and doors: Black, Brushed Nickel, 24 karat Gold Plated or Hammered Steel
- Heat activated blower
- Energy efficiency through natural convection

SPECIFICATIONS


- Up to 63% efficiency
- Up to 80,000 Btu cordwood heat output

- Heating capacity up to 2,500 sq. ft.**
- Burn time up to 8 hrs., depending on the wood used
- Chimney Systems (7"):
 - Secure Temp S-2100*
 - Air Cooled
 - Secure Temp GX***
- Masonry installation with TUBINOX rigid stainless steel liner (optional)
- EPA approved, 7.4 gr/hr
- Warnock Hersey approved to ULC-S610 and UL-127 standards

OPTIONS

- Gravity vent kits
 - Double duct in brass or black
 - Forced Air Heating Kit* for remote room heating (not EPA approved)
 - Rigid firescreen
 - * Canada only
- ** Results will vary depending on room design, wood used, fireplace location, burn rate and chimney installation.
- *** USA only

Overnight Burn Rates



Beautifully match or accent your decor with optional cast iron door finishes in 24 karat Gold Plated, Brushed Nickel or Black.

STANDARD FEATURES

- Convenient size: 36" W x 36" H x 25" D
- Single door for a better view of the fire
- Non-catalytic combustion for maintenance-free operation
- Outside air kit (4" I.D. x 10' long insulated flex and resister)
- Heat activated blower
- Refractories simulate a real masonry hearth
- Knockout on side and back to connect forced air system
- Ceramic glass for safety & optimum heat transfer
- Efficient air wash system keeps the glass clean
- Airtight combustion chamber for maximum efficiency
- Double Air Combustion Control (all-in-one)
 - Main control for variable heat output and wood consumption
 - Air Boost Control for faster wood ignition and efficient combustion
- Choice of Black, Brushed Nickel and 24 karat Gold Plated Steel facades and Steel or Cast Iron doors (mix and match)

SPECIFICATIONS


- Zero-clearance to combustible materials
 - Maximum heat efficiency: 72%
 - Up to 55,000 Btu/hr
 - Overall firebox capacity 2.00 cu. ft.
 - Can heat between 1,000 to 1,500 sq. ft. (may vary depending on individual characteristics of home)
 - Burn time 6-8 hours (depends on wood used)
 - Maximum log size 20"
 - Warnock Hersey approved to ULC-S610 & UL-127
 - EPA approved and Washington State (3.7 gr/hr)
 - Chimney 6" I.D. Secure Temp ASHT*, Air Cooled chimney & Secure Temp S-2100*
 - Masonry installation with TUBINOX rigid stainless steel liner (optional)
- OPTIONS
- Gravity Kits
 - Double duct in Brass or Black
 - Single duct in Brass or Black
 - Forced Air Heating Kit for remote room heating (not EPA approved)
 - Rigid firescreen






ENGINEERED TO BE THE BEST




TOP VIEW





FRONT VIEW



TOP VIEW




FRONT VIEW




Thanks to a versatile VENTING SYSTEM, the BIS TRADITION and the BIS TRADITION CE can be connected in a variety of venting configurations. In fact, they can be set up in any area of your home, whether upstairs, downstairs or both. And, once installed, their maintenance-free construction means you never have to worry about them again.


***Exclusive Time Delayed Air Boost System provides additional air input at ignition before dropping back to the desired burn rate you have set. *BIS Tradition only.**




No ducting
**Canada only.



Forced air on right side**



Forced air on left side**



Two gravity vent kits




Forced air on the back**

Authorized Dealer



Printed in Canada
ABISTRA CE
05-2005
REV : 0



SECURITY CHIMNEYS
INTERNATIONAL

www.securitychimneys.com

2125 Monterey, Laval, Quebec, Canada H7L 3T6 T: US 1 800 361 4909 Canada 1 800 667 3387