

# Valor SMARTFIRE SYSTEM

LUXURY. EFFICIENCY. QUALITY. CONVENIENCE. HEAT.



## ADVANCED CONTROLS - VALORSTAT & VALORSTAT PLUS

The advancements of electronics has raised the bar in smart fireplace design. The ValorStat control system maintains a **steady, even comfort** and can be programmed to provide heat only when you want it - at the temperature you desire. The ValorStat Plus remote pilot ignition system (on direct vent models) allows you to turn the pilot light on and off as easy as your television set. By turning the pilot off for the summer you can enjoy up to 3 hours of heat every evening in January with the gas you've saved! A handheld remote control comes standard with all Legend G3 insert models.



## ZONE HEATING

Central furnaces burn a lot of gas in efforts to heat your entire home. By heating with a Valor, you can **efficiently heat individual living spaces** that you spend the most time in. Further, your duct system can lose up to 30% of the heat through leaks and inefficient design. A Valor has no ducts and delivers a blend of **radiant and convected heat** into the zone you spend most of your time. Zone Heating is a proven way to cut fuel consumption. Turn down your gas guzzler and turn on a Valor.



## RADIANT HEAT

Valor fireplaces are known for producing radiant heat - we do it by design. Radiant heat satisfies human comfort with up to **25% less energy** than warm air systems. Radiant heat replaces the chill lost to cold windows and walls and is what attracts humans to fire. Our radiant fires are another reason a Valor can **reduce your energy bill and increase your overall comfort**.



## HEAT DURING A POWER FAILURE

If the power fails in the winter your home can get cold fast. Valor fireplaces are **fully functional heaters that don't use electricity**. Our fireplaces provide the perfect mixture of **radiant and convective heat** eliminating the need for a noisy, inefficient fan. **No power, no problem** with Valor!



## BURN CLEAN, ENGINEERED GREEN

Natural gas is the **cleanest fireplace fuel** you can burn with the lowest particulate levels and lowest levels of greenhouse gases. Valor specializes in producing **energy efficient, heater-rated** natural gas fireplaces designed to consume less fuel than the average fireplace insert.

# Valor LEGEND G3 INSERTS

Distinct | Reliable | Efficient



Radiant Gas Fireplaces

[www.valorfireplaces.com](http://www.valorfireplaces.com)

Valor THE WISE WAY TO HEAT

Your Authorized Valor Dealer



Copyright Miles Industries Ltd. 2010  
Proudly Made in North America

Printed on recycled paper



Radiant Gas Fireplaces

[www.valorfireplaces.com](http://www.valorfireplaces.com)



Create your own Legend at [www.valorfireplaces.com/design](http://www.valorfireplaces.com/design)

Legend G3 Log Engine with FenderFire Double Doors (743FVI) and Cast Surround (715CVI)

## THE LIVING LEGEND CONTINUES...

We know that legends are made - not born.

And so, since introducing our first Valor Legend insert model in 1991, we have strived to improve on every aspect of our flagship line, seeking to exceed our customers' expectations with every new innovation.

The Legend G3 has further expanded the range of easy to use, energy saving features as well as some stunning new hearth enhancing designs.

Embodying over 100 years of Valor fireplace tradition accompanied by the latest in state-of-the-art technology, the Legend G3 continues to be the industries number one selling gas fireplace insert.



### FIREBED OPTIONS

The Legend G3 features:

- Handcrafted log set design
- Optional - Creekside river rock and driftwood firebed
- Optional - Decorative Rock Kit Accessory for the Creekside firebed
- Optional - Gloss black enamel reflective panels (brick liners)



### SMART CONTROL SYSTEM

The ValorStat Remote Control gives you the power to select, adjust and program the desired temperature that you want.

The built-in timer turns your fireplace ON to warm your home before you wake up and can be programmed to turn OFF after you go to bed.

Our all new ValorStat Plus (featured on the direct vent G3) has the ability to turn your pilot light ON and OFF from the programmable remote control. You'll never have to get on your hands and knees to light the pilot again!



### STEADY, EVEN HEAT

As pioneers of radiant and convected heat technology, we've engineered the G3 to be a heater-rated, energy efficient fireplace.

A 70% turndown (with a low of 6,500 BTU

from a high of 26,000 BTU using natural gas) allows you to match the fire's intensity to your specific home comfort needs.

Not just on or off (which is inefficient) the Valor modulating system runs like cruise control, maximizing comfort and efficiency.

# BUILD YOUR OWN LEGEND



## TRIMS, FRETS & SURROUNDS

Customize the look of your insert with our wide selection of interchangeable quality cast surrounds, steel trims and distinctive fret options.

1.



2.



3.



4.



5.



6.



7.



8.



Shown above: 742CFB Traditional Cast Front with 747DTK 3-Sided Deluxe Trim Kit in Black

**1. FenderFire Single Door (744FVI) with Cast Surround (715CVI)**

**2. Clearview Front (745CFV) with Clearview Cast Fret (758CCB) and 4-Sided Square Trim Kit in Vintage Iron (757STV)**

**3. Clearview Front (745CFV) with Ventana Fret (1225VFB) and 3-Sided Square Trim Kit in Black (756STB)**

**4. Contemporary Front in Vintage Iron (741SVI) with 3-Sided Contour Trim Kit in Vintage Iron (746VIK)**

**5. Contemporary Front in Black (741SFB) with 4-Sided Contour Trim Kit in Black (748CTK) - Shown with Creekside & 759EBL Black Enamel Liner**

**6. Traditional Cast Front (742CFB) with 3-Sided Contour Trim Kit in Black (746CTK)**

**7. Clearview Front (745CFV) with Metropolis Andiron (1236MAP) and 3-Sided Square Trim Kit in Brushed Nickel (756STP)**

**8. FenderFire Double Door (743FVI) with Oversized Trim Kit (753OTK)**

## NEW 4-SIDED CONTEMPORARY SURROUNDS



Legend Creekside Firebed shown with Black Square Trim (756STB), Contemporary Surround in Brushed Nickel (765CSN) and Decorative Rock Kit (761DRK)

Displayed with Solus Handcast Concrete Decor - learn more at [solusdecor.com](http://solusdecor.com)

**solus**  
HANDCAST CONCRETE  
DECOR

## CLEARVIEW FRONT

The Clearview Front is designed to maximize your overall viewing area of the flame and fuel bed, creating a distinct, realistic fire. Clean, well defined lines embrace contemporary design elements in your home, especially for renovators looking to update and upgrade an old fireplace.



Legend G3 Log Engine with Clearview Front (745CFV), Ventana Fret (1225VFB) and Square Trim Kit in Black (756STB)



1. Black Square Trim Kit (756STB) and Contemporary Surround in Copper (765CSC)
2. Vintage Square Trim Kit (756STV) and Contemporary Surround in Black (765CSB)
3. Brushed Nickel Square Trim Kit (756STP) and Contemporary Surround in Black (765CSB)

## CREEKSIDE RIVER ROCK

Introducing the Creekside river rock firebed for the Legend G3 Insert. Contemporary in design, the Creekside embodies a Zen-like mystique. The firebed glass base beautifully reflects and illuminates flame movement from within.



ENGINES	738BXN	G3 B-Vent Engine NG (Log Set with Red Brick Liner)
	738BXP	G3 B-Vent Engine Logs LPG (Log Set with Red Brick Liner)
	739ILN	G3 Direct Vent Engine Logs NG (Log Set with Red Brick Liner)
	739ILP	G3 Direct Vent Engine Logs LPG (Log Set with Red Brick Liner)
	739IRN	G3 Direct Vent Engine NG (Creekside River Rock & Driftwood with Black Fluted Liner)
FRONTS	739IRP	G3 Direct Vent Engine LPG (Creekside River Rock & Driftwood with Black Fluted Liner)
	741SFB	Contemporary Steel Front - Black
	741SVI	Contemporary Steel Front - Vintage Iron
	742CFB	Traditional Cast Iron Front - Black
	743FVI	FenderFire Double Door - Black & Vintage Iron
FRETS	744FVI	FenderFire Single Door - Black & Vintage Iron
	745CFV	Clearview Front - Black & Vintage Iron
	758CCB	Clearview Cast Fret*
	1236MAP	Metropolis Polished Andiron*
	1225VFB	Ventana Fret - Black*
TRIM KITS, SURROUNDS AND CLOSURE PLATES	RA24TB	Traditional Fret - Black*
	715CVI	Cast Surround Plate - Vintage Iron (29" h X 41" w)
	746CTK	3-Sided Contour Trim Kit - Black (26-3/4" h X 36-1/2" w)
	746VIK	3-Sided Contour Trim Kit - Vintage Iron (26-3/4" h X 36-1/2" w)
	747DTK	3-Sided Deluxe Trim Kit - Black (26-3/4" h X 36-1/2" w)
	747VIK	3-Sided Deluxe Trim Kit - Vintage Iron (26-3/4" h X 36-1/2" w)
	748CTK	4-Sided Contour Trim Kit - Black (30-1/4" h X 36-1/2" w)
	748VIK	4-Sided Contour Trim Kit - Vintage Iron (30-1/4" h X 36-1/2" w)
	749DTK	4-Sided Deluxe Trim Kit - Black (30-1/4" h X 36-1/2" w)
	749VIK	4-Sided Deluxe Trim Kit - Vintage Iron (30-1/4" h X 36-1/2" w)
	750OCP	Oversized Closure Plate - Black (Maximum Coverage 29-1/2" h X 42" w)
	750OVI	Oversized Closure Plate - Vintage Iron (Maximum Coverage 29-1/2" h X 42" w)
	751LTK	Lift Trim Kit - Black
	751LVK	Lift Trim Kit - Vintage Iron
	752BTK	Base Trim Kit - Black
	752BVK	Base Trim Kit - Vintage Iron
	753OTK	Oversized Trim Kit - Black (31" h X 45-3/16" w)
	753OTV	Oversized Trim Kit - Vintage Iron (31" h X 45-3/16" w)
	756STB	3-Sided Square Trim Kit - Black (27-1/8" h X 37-1/2" w)
	756STV	3-Sided Square Trim Kit - Vintage Iron (27-1/8" h X 37-1/2" w)
756STP	3-Sided Square Trim Kit - Brushed Nickel (27-1/8" h X 37-1/2" w)	
757STB	4-Sided Square Trim Kit - Black (31-1/8" h X 37-1/2" w)	
757STV	4-Sided Square Trim Kit - Vintage Iron (31-1/8" h X 37-1/2" w)	
757STP	4-Sided Square Trim Kit - Brushed Nickel (31-1/8" h X 37-1/2" w)	
761DRK	Decorative Rock Kit (Optional Accessory Kit for the Creekside Fuel Bed)	
762TRB	Temperature Reduction Baffle (Optional)	
763TBB	Trimmable backing plate - Black (30-1/2" h X 42" w)	
765CSB	4-Sided Contemporary Front in Black	
765CSC	4-Sided Contemporary Front in Copper	
765CSN	4-Sided Contemporary Front in Brushed Nickel	
ACCESSORIES	754RSK	Rock Set Conversion Kit for the 738BXN/BXP & 739ILN/ILP
	755CFK	Circulating Fan Kit (with Variable Speed Thermally Activated Controller - For use with 739 direct vent model only)
	759EBL	Enamel Firebox Liner Kit in Gloss Black (Replaces standard liner packed with heater)
	770ZCK	Zero Clearance Kit (738 b-vent model only)
	1265WSK	Valor Wall Switch Kit (Works in conjunction with the ValorStat Handset. For use with 739 direct vent model only)

\* Compatible frets for the 745CFV Clearview Front only.

## LEGEND G3 FIREPLACE COMPONENTS

### INTERIOR LINERS

Log Set and Brick Liner




Creekside Rock Bed & Black Fluted Liner



Creekside Rock Bed & Black Enamel Liner




### FRETS FOR THE CLEARVIEW FRONT




1236MAP Metropolis Polished Andiron



758CCB Clearview Cast Fret





1225VFB Ventana Fret - Black



RA24TB Traditional Fret - Black


# Valor LEGEND G3 SERIES

## PRODUCT DIMENSIONS FOR 738 & 739 MODELS



738

Use either the B-Vent model (top) with a single 3" liner or the Direct Vent (bottom) with co-linear 3" venting.



739

- OUTSIDE AIR FOR COMBUSTION
- EXHAUST
- RADIANT HEAT
- HEAT CONVECTION
- INSIDE AIR

### MODEL/FUEL


Model	Fuel	Max. Input BTU/hr	Min. Input BTU/hr	Fuel Bed Options (Creekside or Log set)	Control System (ValorStat/ ValorStat Plus)	Fan Option	EnerGuide Rating**	AFUE**	Max. Output** (w/out fan) BTU/hr
738BXN	NG	24,000	6,500	Log set	ValorStat	No	59%	63.4%	16,169
738BXP	LPG	24,000	13,000	Log set	ValorStat	No	59%	63.4%	16,169
739ILN	NG	26,000	6,500	Log set	ValorStat Plus	Yes	66.4%	65.7%	17,490
739ILP	LPG	24,000	13,000	Log set	ValorStat Plus	Yes	63.3%	65.5%	16,171
739IRN	NG	26,000	6,500	Creekside	ValorStat Plus	Yes	66.4%	65.7%	17,490
739IRP	LPG	24,000	13,000	Creekside	ValorStat Plus	Yes	63.3%	65.5%	16,171

\*\* EnerGuide Ratings and Outputs have been determined without a fan/blower, using the CSA P4.1-02 test method  
 \*\* A.E.U.E. (Annual Fuel Use Efficiency) tested as per 10CFR - 430.23  
 Certified to ANSI Z21.88 / CSA 2.33 Vented Gas Fireplace Heater Standard  
 CAN 1-2. 17 Gas Fired Appliances For Use at High Altitude




**About Our Efficiency Ratings**  
 At Valor we use recognized Canadian and US government test methods for determining energy efficiency performance. This ensures our products will perform in your home as rated. Beware of misleading "steady state" efficiency claims made by manufacturers using their own "in-house" test methods. For more information visit our website at [valorfireplaces.com](http://valorfireplaces.com)

### VENTING OPTIONS

Fill in the diagram dimensions below then stop by your local Valor dealer to see if a Legend G3 will work in your home.



### MANTEL CLEARANCES



All product information is accurate at time of printing and is subject to change. Note: Printed images may vary from actual product. Please refer to the complete Legend G3 product manual before installation - [valorfireplaces.com](http://valorfireplaces.com)