

Horizon

HORIZON + H4 FIREPLACES



A LEADER IN
PERFORMANCE AND VALUE.



Radiant
Gas Fireplaces



HORIZON 534J
TRADITIONAL LOGS 534LSK
FLUTED BLACK LINER 620FBL
FENDERFIRE DOUBLE DOOR 610FVI

HORIZON



- ✓ Value leader
- ✓ Square, classic design.
- ✓ Typically rests on hearth.
- ✓ Compact zero clearance or insert.
- ✓ Same engine design as H4.

The Horizon versatility allows you to replace your old wood fireplace or install new with a wide variety of Horizon designs.

Dependability

Efficient heat performance, based on designs proven in North American homes for nearly forty years.

Craftsmanship

- **Premium aluminum-coated** steel firebox and trims prevent corrosion and wear—the Horizon is even suited to the outdoors!
- **High-grade, powder coated paint** is used on all our fireplaces to maintain their appearance and ensure long-lasting enjoyment—inside and out.
- **Handcrafted ceramic fire beds** are based on real logs and stones we find in nature.

Technology

- Our **stainless steel burner** is uniquely designed for flame impingement on the logs—glowing embers that look realistic and also produce radiant warmth.
- Turn your **fireplace to low**—6500 btus—and still enjoy the glowing embers of a small fire. We set the industry standard in turndown, a measure of comfort.
- A Valor exclusive, the **Secondary Heat Exchanger** naturally enhances the convected heat. No fan or power required.

Please note: printed images may vary from actual product. Refer to the 534j/650j series engine manual for product installation. All product information is accurate at time of printing and is subject to change. For more information visit valorfireplaces.com



HORIZON FRONTS

The Horizon offers eight front styles we've tested throughout many of our other lines—contemporary and traditional. For optional trims, see next page.

EDGEMONT, VINTAGE IRON



EDGEMONT, NICKEL



CLEARVIEW, VINTAGE IRON **TOP SELLER**



EDGEMONT, BRONZE



CONTEMPORARY STEEL, BLACK





FENDERFIRE DOUBLE DOOR



CLASSIC CAST IRON, BLACK



MATTE BLACK GREAT VALUE!



HORIZON 534J
TRADITIONAL LOGS 534LSK
RED BRICK LINER 621VRL
MATTE BLACK FRONT 672MBF

HORIZON 534J
TRADITIONAL LOGS 534LSK
LEDGESTONE LINER 622LSL
CLEARVIEW FRONT 645CFV
VENTANA FRET 1225VFB



TRIMS:

Optional trims frame the fireplace front, and help cover the fireplace opening if necessary.

CLEARVIEW TRIM:
SQUARE VINTAGE IRON
ALSO AVAILABLE IN BRONZE



FENDERFIRE TRIM:
ARCHED CAST VINTAGE IRON



FENDERFIRE TRIM:
CAST VINTAGE IRON



TRIM WORKS WITH FRONTS:
- CONTEMPORARY STEEL BLACK
- CAST IRON BLACK (HERE)
- MATTE BLACK
3-SIDED CONTOUR
ALSO AVAILABLE AS 4-SIDED



ENGINES

Horizon Direct Vent	Natural Gas	534JN
	Propane	534JP

FUEL BEDS

Driftwood	534DWK
Traditional Logs	534LSK
Rocks	534RSK

LINERS

Reflective Glass	618RGL
Fluted Black	620FBL
Red Brick	621VRL
Ledgestone	622LSL

FRONTS

	Contemporary Steel, Black		601SFB
	Classic Cast Iron, Black	32 ³ / ₁₆ "w x 29 ³ / ₄ "h	602CFB
	Matte, Black		672MBF
	Fender Fire Double Door, Vintage Iron	35 ³ / ₄ "w x 31 ³ / ₄ "h	610FVI
	Clearview, Vintage Iron (requires fret)	37 ¹ / ₄ "w x 31 ³ / ₄ "h	645CFV
Edgemont	Brushed Nickel		673EDN
	Vintage Iron	35 ⁷ / ₈ "w x 31 ⁵ / ₈ "h	673EDV
	Bronze		673EDZ

CLEARVIEW FRETS

Required for Clearview front	Contemporary cast, Vintage Iron	RA24CV
	Traditional cast, Black	RA24TB
	Clearview cast, Vintage Iron	646CCB
	Ventana cast, Black	1225VFB
	Clearview Access Panel, Black	645CAP

TRIMS


for Clearview front	Square Vintage Iron	44 ⁵ / ₁₆ "w x 34 ⁷ / ₁₆ "h	623STV
	Square Bronze		623STZ
for 601, 602 and 672 fronts	Contour, Black, 3-sided	35"w x 31 ¹ / ₈ "h	603FSK
	Contour, Black, 4-sided	35"w x 32 ⁵ / ₈ "h	605FSK
for FenderFire fronts	Arched Cast Surround, Vintage Iron	35"w x 32 ⁵ / ₈ "h	614CVI
	Cast Surround, Vintage Iron	45 ¹ / ₄ "w x 35 ³ / ₄ "h	615CVI

ACCESSORIES

Wall Switch	1265WSK
Circulating Fan	755CFK
Decorative Rock addition (for use with Rocks fuel bed)	761DRK
1-hour Shut Down Handset	GV60BRK
Outdoor Conversion Kit	GV60CKO
Non-Thermostat Handset	GV60NTK
Remote Battery and Wall Switch	RBWSK

METAL PLATING:

Brushed Nickel




POWDER-COATED PAINT:

Bronze



Black



Vintage Iron



H4



- ✓ Landscape viewing area.
- ✓ Typically floats above hearth.
- ✓ Compact zero clearance or insert.
- ✓ Same engine design as Horizon.

Designed as a contemporary, four-sided version of the Horizon fireplace, the H4 Series eliminates the need for a traditional hearth in your living space. Elevated to your preferred height, the H4 nestles comfortably in your choice of surrounding wall surfaces.

Dependability

Efficient heat performance, based on designs proven in North American homes for nearly forty years.

Craftsmanship

- **Premium aluminum-coated** steel firebox and trims prevent corrosion and wear—the H4 is even suited to the outdoors!
- **High-grade, powder coated paint** is used on all our fireplaces to maintain their appearance and ensure long-lasting enjoyment—inside and out.
- **Handcrafted ceramic fire beds** are based on real logs and stones we find in nature.

Technology

- Our **stainless steel burner** is uniquely designed for flame impingement on the logs—glowing embers that look realistic and also produce radiant warmth.
- Turn your **fireplace to low**—6500 btus—and still enjoy the glowing embers of a small fire. We set the industry standard in turndown, a measure of comfort.
- A Valor exclusive, the **Secondary Heat Exchanger™** naturally enhances the convected heat. No fan or power required.



H4

H4 650J
TRADITIONAL LOGS 534LSK
FLUTED BLACK LINER 620FBL
BRUSHED COPPER INNER BEZEL 661BSP
VINTAGE IRON OUTER SQUARE FRONT 662SSV



H4



H4 650J
TRADITIONAL LOGS 534LSK
RED BRICK LINER 621VRL
BLACK INNER BEZEL 661BSB
VINTAGE IRON OUTER LANDSCAPE FRONT 660LSV



H4 FRONTS:

BRUSHED NICKEL INNER BEZEL
VINTAGE IRON OUTER LANDSCAPE FRONT



BRUSHED COPPER INNER BEZEL
VINTAGE IRON OUTER SQUARE FRONT



BLACK INNER BEZEL
VINTAGE IRON OUTER LANDSCAPE FRONT



NICKEL POWDER-COATED INNER BEZEL
VINTAGE IRON OUTER SQUARE FRONT




BRUSHED COPPER INNER BEZEL
BLACK OUTER LANDSCAPE FRONT



BLACK INNER BEZEL
VINTAGE IRON OUTER SQUARE FRONT



H4



H4 650J
DRIFTWOOD 534DWK
FLUTED BLACK LINER 620FBL
BRUSHED NICKEL INNER BEZEL 661BSP
BLACK OUTER LANDSCAPE TRIM 660LSB

ENGINES

H4 Direct Vent	Natural Gas	650JN
	Propane	650JP

FUEL BEDS

Driftwood	534DWK
Traditional Logs	534LSK
Rocks	534RSK



LINERS

Reflective Glass	618RGL
Fluted Black	620FBL
Valor Red Brick	621VRL
Ledgestone	622LSL

INNER BEZEL

Black Powder Coat	661BSB
Copper Plated	661BSC
Nickel Powder Coat	661BSN
Brushed Nickel Plated	661BSP

OUTER FRONTS (required)

Landscape 	Black	44 $\frac{3}{4}$ "w x 31 $\frac{5}{8}$ "h	660LSB
	Vintage Iron		660LSV
Square 	Vintage Iron	36 $\frac{3}{4}$ "w x 31 $\frac{5}{8}$ "h	662SSV

ACCESSORIES


Circulating Fan	755CFK
Decorative Rock (add to the 534RSK)	761DRK
1-hour Shut Down Remote	GV60BRK
Outdoor Conversion Kit	GV60CKO
Non-Thermostat Remote	GV60NTK
Remote Battery and Wall Switch	RBSWK

H4 finishes:**METAL PLATING:**


Brushed Nickel




Brushed Copper

**POWDER-COATED PAINT:**

Nickel






Black





Vintage Iron




HORIZON




H4




Minimum 1/2" between bottom of appliance and surface of hearth or floor finish.




HORIZON FRAMING



H4 FRAMING



VENTING



The maximum vertical vent run on a Horizon/H4 can not exceed 40 feet in total length. The engine can be either top or rear vented.

HORIZON AND H4 EFFICIENCY


Fuel	Max. Input	Min. Input	Max. Output*	Ener Guide	Model
NG	24,000	6,500	17,506	70.9%	534JN
					650JN
LPG	24,000	13,000	17,506		534JP
					650JP

ENERGUIDE RATINGS AND OUTPUTS HAVE BEEN DETERMINED WITHOUT A FAN/BLOWER, USING THE CSA P4.1-15 TEST METHOD (2017)

About our efficiency ratings

While the North American fireplace industry is largely self-regulated, at Valor we use recognized Canadian and US government testing methods to determine our energy efficiencies, and ensure our products perform in your home as rated.

To find out more, visit valorfireplaces.com/efficiency



Certified to ANSI Z21.88-2017/ CSA 2.33-2017
Vented Gas Fireplace Heater American National Standard.
CGA-2.17-91 Gas Fired Appliances for use at High Altitudes.

WHY CHOOSE A VALOR®?

RADIANT HEAT

Like heat from the sun, **Valor®** fireplaces distribute radiant warmth directly to your living space. Radiant heat satisfies human comfort needs, using up to 25% less energy compared to traditional forced air systems. Valor warmth efficiently replaces the chill from cold windows and doors with steady, even heat to people and objects in the room.



PACIFIC NORTHWEST DESIGN, DEVELOPMENT & DISTRIBUTION

Locally owned and operated in the Pacific Northwest, every **Valor®** fireplace is designed, developed and manufactured exclusively for North America. With a proven product family history, Valor continues to introduce unique fireplaces that stand the test of time.

EASY CONTROL

Standard with every fireplace, our **ValorStat** remote gives you full control of your experience. Adjust the flame and heat to meet your desired comfort level as the room warms or as the outside temperature falls—truly a fireplace for all seasons.



THE COMFORT ZONE

Reduce your furnace's output of hot air into empty rooms and unused spaces.

Zone heating requires no ducting or forced air, and delivers radiant and convective warmth to the spaces you frequent the most. Where you want it—when you want it.



BURN CLEAN, ENGINEERED GREEN

Valor® specializes in the design of clean heat solutions for your home.

Our fireplaces use natural gas, the cleanest fireplace fuel you can burn, with the lowest particulate levels and lowest levels of greenhouse gases on the market.



PRODUCT VERSATILITY

Valor® products are extremely diverse in their application and design. Whether new construction or home renovation, we offer a wide range of options to help you select the right fireplace for your personal heating needs.



SAVINGS

Valor® designs innovative fireplaces that include many cost-saving features: for example, pilot flame that automatically turns off if your fireplace is inactive for over five days, saving energy and lowering overall home heating costs.

Keep forgetting to turn down your fireplace? The **ValorStat** automatically turns down after six hours.



NO POWER, NO PROBLEM.™

If the power fails in the winter, your home can get cold fast.

Valor® fireplaces are fully functional heaters that don't require electricity. Our fireplaces provide the perfect mixture of radiant and convective heat, eliminating the need for a fan. No power, no problem.



NO FAN NECESSARY

We firmly believe that you shouldn't have to put up with the constant buzz of a fan to be warm. That's why we designed glowing fires to radiate heat and secondary heat exchangers to naturally circulate warm air by convection throughout the room. While a fan is an option, you'll likely find it unnecessary.



RELIABILITY

With over 100 years in the heating industry, we take pride in providing high-quality, safe products.

Every **Valor®** product undergoes extensive safety testing so it's no surprise that many customers own more than one Valor fireplace in their lifetime.



FIREPLACE SAFETY — USE RADIANT HEAT SAFELY

Fireplace surfaces, in particular the glass viewing window, are extremely hot during operation and will remain hot for a period of time after the fireplace is turned off. Contact with the hot glass can cause severe burns. Close adult supervision is required if there are young children, or at-risk individuals in the house. Included with your purchase, a **Valor®** barrier screen is recommended at all times. Install an approved after-market safety gate to keep toddlers, young children and at-risk individuals a safe distance from the fireplace.

For more information please visit valorfireplaces.com/safety.



⚠ WARNING

This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.



Proudly made in North America

Designed and manufactured by
Miles Industries Ltd. 2020
Copyright Miles Industries Ltd. 2020

Note: Natural gas, in its original state, contains Benzene.

H4 650J
TRADITIONAL LOGS 534LSK
LEDGESTONE 622LSL
BLACK INNER BEZEL 661BSB
VINTAGE IRON OUTER LANDSCAPE FRONT 660LSV



Valor
Radiant
Gas Fireplaces